

TOXICOLOGY PART 2 - QUESTIONS

SAQ 1

A 24 year old obese female presents with a deliberate overdose after a relationship breakdown. She took 60 x 200mg ibuprofen tablets, 30 x 50 mg sertraline tablets, 20 x 10 mg olanzapine tablets, and 10 x 10mg of diazepam approximately an hour before presenting.

On arrival, her BP is 190/110, HR 90, T 38°C, RR 24. She is GCS 15/15.

- a. List two specific toxidromes you may expect to see in this patient. Briefly state two examination findings that may differentiate between the toxidromes. (4 marks)

- b. List four blood tests you will order for this patient and justify each. (4 marks)

- c. Blood tests for the patient are shown. Soon after receiving these, the patient seizes. State your management of her seizure in order, with doses where appropriate. End points are not necessary, as we assume we will cease medication when the seizures stop. (2 marks)

Na 132

K 4.2

Cl 99

HCO₃ 24

Glu 18

Urea 6

Creatinine 86

Paracetamol <20

Bili 3

GGT 70

ALP 76

ALT 60

AST 75

Lipase 20

CK 2008

BHCG 1300

SAQ 2

A 78 year old male from a low level care nursing home is brought in by ambulance with delirium. The nursing home letter states he has been increasingly agitated over the past few days, despite increasing doses of olanzapine and haloperidol for behavioural control. His past history is significant for hayfever, Parkinsons disease, depression, and urinary incontinence. His medications include antihistamines, oxybutynin, amantadine, and amitriptyline.

His BP is 90/62, HR 140bpm regular, T 38°C. His skin is flushed and warm; his pupils are dilated.

- a. List four differential diagnoses for the patient's presentation. (4 marks)

- b. You examine the patient, finding no abnormalities except for a palpable, non-tender bladder. The patient is mumbling incoherently, and has to be restrained by his nurse as he leans over the bed to “pick things up off the floor”. State the most likely diagnosis for this patient and a reasonable cause. (2 marks)
- c. Outline your management of this patient.
- d. After sedating the patient with 20mg of diazepam, he remains agitated. State a medication you may consider giving him, including a possible side effect of this medication. (2 marks)

SAQ 3

A normally healthy 23 year old student presents with abdominal pain and vomiting. He has no past history apart from migraines, which have been increasingly frequent over the past few weeks, a fact he attributes to his upcoming exams. His BP is 120/70, HR 120, RR 30, sats 100% RA. He is triaged to the resuscitation area and a VBG taken.

pH 7.58
PCO₂ 21
PO₂ 154
HCO₃ 19
Na 127
K 5.2
Cl 79

- a. Describe the blood gas and list two differential diagnoses for this patient based on your results. (3 marks)
- b. On further questioning, the patient states he has increased his aspirin use due to his headaches, and has been using oil of wintergreen for sore muscles. Complete the following table regarding risk assessment in salicylate toxicity. (4 marks)

Aspirin dose mg/kg	Effect
<150	
150-300	
>300	
>500	

- c. Briefly describe the underlying mechanism for each of the disturbances seen on the blood gas in aspirin toxicity. (3 marks)

Respiratory alkalosis –

Metabolic acidosis –

Metabolic alkalosis –


- d. What is a bezoar and how does it affect management of aspirin overdose? (2 marks)

- e. What are the indications for haemodialysis in aspirin overdose? (3 marks)

SAQ 4

A 46 year old male metal worker presents to ED with burns to his left hand and forearm. He states he was using an etching material at work when it spilt over his arm. The MSDS for the substance identifies it as hydrofluoric acid. He is in significant pain and has not applied first aid. He is also concerned he may have inhaled some of the vapours and complains of chest pain.

- a. What is the toxic mechanism involved in hydrofluoric acid burns? (2 marks)
- b. An ECG is taken. What is the major abnormality shown on the ECG, and what does this signify? (2 marks)



- c. The patient remains in significant pain. Apart from standard pain medications, list four treatment options for this patient, including route of administration. (4 marks)

d. State your disposition for this patient, with justification. (1 mark)

e. For alkalis and acids, state the type of necrosis seen in toxicity. (2 marks)

Alkali –

Acid -

SAQ 5

A 6 year old boy is brought in by ambulance. His mother states he and his brother were swimming in the family pool when the child started screaming. He then vomited and collapsed. Examination reveals an unconscious child with significant salivation and diaphoresis.

a. What is the likely toxicological cause of his presentation? (1 mark)

b. For each of the following systems, list three symptoms you may see in this envenomation. (4 marks)

System	Symptoms
Cardiovascular	
Autonomic	
CNS	
General	

c. Soon after arrival, the child arrests. Outline your actions now. (3 marks)

SAQ 6

An 18 year old female is brought in by friends from a Rave party. They state she had been dancing for several hours when she collapsed and had a seizure lasting 3 minutes. Her core temperature is 39°C. She is taken to resuscitation and VBG taken (shown).

pH 7.45

PCO₂ 21

HCO₃ 24

Na 112

K 5.2

Cl 79

Urea 8

Glucose 9

a. Describe the VBG and give a likely cause of the major abnormality shown. (2 marks)

- b. State 5 differential diagnoses for her presentation. (5 marks)

- c. Outline your treatment of this patient. (3 marks)

- d. Her blood tests return a CK of 20,500. Briefly describe your disposition of this patient and justify. (2 marks)